

LAMPIRAN A1

BIL.	BUTIRAN SKOP KHUSUS	KUANTITI	HARGA (RM)
	<u>Nota:</u> Semua peralatan ini juga perlu disertakan dengan <i>hardcase</i> sebagai ruang penyimpanan.		
1.1.3	<i>External Hard Disk</i> dengan spesifikasi minimum 8TB	4 unit	
2	PEMBEKALAN PERALATAN DAN KELENGKAPAN STUDIO		
2.1	Membekal, memasang, mengujiterima, mentauliah, melatih serta menyelenggara sekurang-kurangnya setahun untuk peralatan dan sistem berikut:		
2.1.1	Satu set kelengkapan untuk kegunaan <i>multiple camera production (MCP)</i> dengan spesifikasi minimum: <ul style="list-style-type: none">• 1 set <i>HD 4-Channel Digital Video Switcher c/w hard case</i>• 1 set <i>MCP preview monitor</i>• 1 set <i>master MCP recorder</i>• 1 set <i>12 channel digital audio mixer atau setara</i>• 1 set <i>camera talkback system for 4 camera</i>• 1 lot <i>HDMI cable</i>• 1 set <i>HDMI to USB3 converter</i>• 2 set <i>multipurpose converter</i>• 1 lot <i>audio patching cable</i>• 1 lot <i>video patching cable</i>• 1 set <i>video distributor</i>• <i>V-Screen Fine HD 7inch LCD Monitor</i>• <i>Monopod kit</i>• <i>Sebuah 27 inch monitor</i>	1 lot	

BIL.	BUTIRAN SKOP KHUSUS	KUANTITI	HARGA (RM)
	<p>b) <i>Handheld Audio Recording for Boom Microphone</i></p> <p>c) Klip mic dengan spesifikasi minimum:</p> <ul style="list-style-type: none"> • <i>Sturdy metal housing</i> • <i>1680 frequencies within a 42MHz switching bandwidth for greater tuning flexibility</i> • <i>Enhanced frequency bank system with up to 12 compatible frequencies</i> • <i>Adaptive-diversity reception for high reception quality</i> • <i>Pilot tone squelch for eliminating RF interference when transmitter is turned off</i> • <i>Automatic frequency scan feature searches for available frequencies</i> • <i>Enhanced AF frequency range</i> • <i>Increased range for audio sensitivity</i> • <i>Wireless synchronization of transmitters via infrared interface</i> • <i>User-friendly menu operation with more control options</i> • <i>High-contrast LCD display with blue sync LED and dedicated Escape button</i> • <i>Auto-Lock function avoids accidental changing of settings</i> • <i>HDX compander for crystal-clear sound</i> • <i>Transmitter and receiver feature 4-step battery indication</i> • <i>Programmable Mute function</i> • <i>Contacts for recharging BA 2015 accupack directly in the transmitter or receiver</i> • <i>Wide range of accessories adapts the system to any requirement</i> • <i>Benefit from a transmission range of up to 330 feet and up to 8 hours of operation time</i> • <i>Link up to 12 receivers for simultaneous easy setup</i> <p>d) <i>UHF Wireless Lavalier Microphone System With Portable Dual-Channel Camera-Mountable Receiver</i> dengan spesifikasi berikut atau yang lebih baik:</p>	<p>1 unit</p> <p>1 set</p> <p>1 set</p>	

BIL.	BUTIRAN SKOP KHUSUS	KUANTITI	HARGA (RM)
	<p>Receiver</p> <ul style="list-style-type: none"> • Channels: 96 selectable channels in 2 groups (A and B) • Wireless Frequency Range: 514MHz - 596MHz • Oscillator Type: PLL synthesizer • Output: Locking 3.5mm TRS mini-jack • Antenna: 1/4 λ wire antenna • Audio Output Level: -60dBV • Headphone Output Level: 30mW (16 ohm) • Sensitivity: -95dBm • Signal to Noise Ratio: 70dB or more • Voice Delay: 12ms • Reference Deviation: ±5 kHz (-60dBV, 1kHz input) • Frequency Response: 40Hz to 18kHz (±3dB) • Distortion: 0.5% or less • Spur Suppression: -60dB <p>Transmitter</p> <ul style="list-style-type: none"> • Channels: 96 selectable channels in 2 groups (A and B) • Wireless Frequency Range: 514MHz - 596MHz • Oscillator Type: PLL synthesizer • Input: Locking 3.5mm TRS mini-jack • Reference audio input level: -60dBV (MIC input 0dB attenuation) • Antenna: 1/4 λ wire antenna • Signal to Noise Ratio: 70dB or more • Voice Delay: 12ms • Reference Deviation: ±5 kHz (-60dBV, 1kHz input) • Frequency Response: 40Hz to 18kHz (±3dB) • Distortion: 0.5% or less • Spur Suppression: -60 B 		

LAMPIRAN A1

BIL.	BUTIRAN SKOP KHUSUS	KUANTITI	HARGA (RM)
2.1.4	320 L dry box untuk penyimpanan peralatan kamera	1 unit	
2.1.5	<i>Flight case with a minimum size of 50cm x 34cm x 22cm with wheels</i>	2 unit	
2.1.6	Kabel dan Wayar Penyambung yang berkaitan <ul style="list-style-type: none"> • <i>SDI cable (minimum 50m)</i> • <i>HDMI (minimum 50m)</i> • <i>Audio cable (minimum 50m)</i> • <i>AV converter – 5 unit</i> • <i>Extension wire with reel (100m) – 2 unit</i> • <i>Splitter – 3 unit</i> • <i>Switcher – 3 unit</i> 	1 lot	
2.1.7	Tripod tahan lasak (heavy duty) untuk kegunaan kamera video dan DSLR Professional Camera Hydraulic Tripod dengan spesifikasi minimum berikut: <ul style="list-style-type: none"> • <i>Carbon Fiber Tripod Load-bearing range 0-12 kg</i> 	2 unit	
3.	PENYELENGGARAAN (MAINTENANCE WORKS) DAN SOKONGAN TEKNIKAL		
3.1	Tindakan penyelenggaraan mengikut aduan kerosakan peralatan dalam tempoh 24 jam	3 tahun	
3.2	Penyelenggaraan peralatan berjadual seperti : <ol style="list-style-type: none"> a) Video Kamera; b) Kamera DSLR; c) <i>Camera Flash</i>; d) Lensa berjenama yang berkapasiti 24-70MM F/2.8E; e) Lensa berjenama yang berkapasiti 200-500mm f/5.6E AF-S; f) <i>Multiple camera production (MCP)</i>; g) Lampu studio; dan h) <i>Blimp Shotgun Microphone and Mount Suspension System</i> 	3 tahun	
4.	JADUAL DAN PERANCANGAN		
4.1	Menyediakan jadual dan perancangan terperinci untuk pembekalan, penghantaran, pemasangan, pengujian dan penyelenggaraan		

LAMPIRAN A1

BIL.	BUTIRAN SKOP KHUSUS	KUANTITI	HARGA (RM)
5.	JAMINAN (WARRANTY)		
5.1	Jaminan (warranty) dengan alat ganti tulen (original spare parts) selepas tempoh jaminan asal daripada kilang tamat	3 tahun	
6.	LATIHAN		
6.1	Latihan bagi memastikan pengguna mahir dalam mengendalikan peralatan yang dibekalkan	1 sesi (10 pax)	
JUMLAH TANPA CUKAI			
CUKAI JUALAN / PERKHIDMATAN (SST) *			
<i>* wajib mengemukakan pendaftaran Kastam jika mengenakan SST</i>			
JUMLAH KESELURUHAN			

Saya / Kami memperakui maklumat yang diberikan adalah benar dan bersetuju menyediakan perkhidmatan dinyatakan selaras dengan terma & syarat dalam dokumen Sebutharga Bil. 16/2020.

.....

Nama :

Jawatan :

Tarikh :

Cop Syarikat :